

Test 05 – Oracle Forms

QUESTION 1 : Which built-in subprogram can be used to link form modules in an application, allowing the user to work in them concurrently?

- A. FIND_FORM
- B. CALL_FORM
- C. NEW_FORM
- D. OPEN_FORM

QUESTION 2 : You want to capture the username and password for the current user. Which built-in subprogram can you use?

- A. GET_APPLICATION_PROPERTY
- B. GET_RELATION_PROPERTY
- C. GET_VIEW_PROPERTY
- D. GET_FORM_PROPERTY

QUESTION 3 : You have created a LOV that displays the DEPT_ID and DEPT_NAME columns and returns a value only for the DEPT_ID column. Users want to select a department from the list of the DEPT_NAME columns only. How would you resolve this question?

- A. Set the Visible property to No for the DEPT_ID text item.
- B. You cannot hide or remove the DEPT_ID column from the LOV because the DEPT_ID column is the primary key in both the data block and the database table.
- C. Create a Key-Listval trigger for the text item in which you write a SELECT statement to query the database table DEPT_ID value for the selected DEPT_NAME value.
- D. Set the Display Width property to 0 (zero) for the DEPT_ID column in the Column Mapping properties for the LOV.

QUESTION 4 : Which built-in would you use to check whether a user selected a value from the PAY_Type_LOV?

- A. GO_ITEM
- B. SHOW_EDITOR
- C. SHOW_LOV
- D. GET_ITEM_PROPERTY
- E. SYNCHRONIZE
- F. LIST_VALUES

QUESTION 5 : Which master detail property would you use to delete the master record, but prevent detail records from being deleted?

- A. Non-isolated
- B. Cascading
- C. Isolated
- D. Restricted

QUESTION 6 : The items form contains the master detail relationship for inventory items and inventory stock available. Users may delete an inventory item if the QUANTITY_ON_HAND=0. Which commit trigger can you use to implement a cascade delete for the item?

- A. Post-Delete
- B. Pre-Delete
- C. Post-Forms-Commit
- D. On-Delete

QUESTION 7 : Which file can be opened to see the structure of the default menu?

- A. MENU.MMX
- B. MENUDEF.MMX
- C. MENUDEF.MMB
- D. DEFME

QUESTION 8 : You are creating the ORDERS form that contains a text item called Date_Ordered. How could you ensure that when a new record is entered, the Date_Ordered item displays the current data in DD-MONYYYY format?

- A. In the Date_Ordered Item Property Palette, set the Initial Value property to \$\$date\$\$.
- B. In the Date_Ordered Item Property Palette, set the Default Value property to SYSDATE.
- C. You must use a Pre-Insert trigger to accomplish this task.
- D. You must use a Pre-Commit trigger to accomplish this task.

QUESTION 9 : The EMPLOYEE form contains the CV_SALARY, CV_EMP, and CV_HELP content canvases. Each canvas is displayed in its own window. How could you toggle between the CV_SALARY and CV_EMP canvases without closing the CV_HELP canvas?

- A. Create the CV_HELP canvas in a modal window.
- B. Create the CV_SALARY and CV_EMP canvases in modal windows.
- C. Create all three canvases in modeless windows.
- D. A canvas must be dismissed before another canvas can become active.

QUESTION 10 : The Orders form contains the dynamic list items, which you want to be loaded with the values from the queries record group for the items field. Which built-in can you use to populate this list items with the values from the Record group?

- A. RETRIEVE LIST
- B. GET_LIST_ELEMENT_VALUE
- C. POPULATE_LIST_WITH_QUERY
- D. POPULATE_LIST
- E. CLEAR_LIST

Référence : ExamGru.